



Missouri Weekly Influenza Report 2006-2007 Season¹

Missouri is reporting “Sporadic Influenza Activity” to the CDC for Week 15².

To view influenza maps click [here](#). Each map will give county data by placing the cursor over the county.

Table 1. Reported Laboratory cases by sub-type for the Week ending April 14, 2007 (Week 15)

Serogroups	A (non- typed)	A (H1)	A (H1N1)	A (H3)	B	A or B Untyped (rapid test)	Total
Week 15	43	0	0	0	7	4	54

54 cases by rapid non-culture diagnostic test.

**Table 2. Influenza Season-to-Date and 5-season Median by Influenza Type
Through Week Ending April 14, 2007 (Week 15)**

Influenza Type	2006-07 Season	5-Season Median	Percent Change from 5-Season Median
Influenza A	9,016	6,657	35.4%
Influenza B	2,148	867	147.8%
Influenza Unknown Or Untyped	3,445	2,822	22.1%
Total	14,609	10,790	35.4%

Season-to-Date: two isolates are identified as influenza A/Hawaii/15/2001-like (H1N1) viruses and two other isolates as influenza A/New Caledonia/20/99-like (H1N1) viruses.

**Table 3. Influenza Season-to-Date and
5-season Median by Age Group
Through Week Ending April 14, 2007 (Week 15)**

Age Group	2006-07 Count	5-Season Median	Percent Change from 5-Season Median
00-<02	1,676	1,308	28.1%
02-04	2,473	988	150.3%
05-14	6,417	2,000	220.9%
15-24	1,287	1,123	14.6%
25-49	1,898	1,501	26.4%
50-64	512	598	(14.4%)
65+	346	1,274	(72.8%)
Total	14,609	10,790	35.4%

**Table 4. Influenza Season-to-Date and
5-season Median by Region
Through Week Ending April 14, 2007 (Week 15)**


Region	2006-07 Count	5-Season Median	Percent Change from 5-Season Median
CE	1,812	1,539	17.7%
EA	3,619	4,128	(12.3%)
NW	3,849	2,633	46.2%
SE	1,786	656	172.3%
SW	3,543	1,583	123.8%
Total	14,609	10,790	35.4%

**Table 5. Deaths involving Pneumonia and Influenza (P&I)
Reported During the Week Ending April 7, 2007 (Week 14)***

Week 14	Season-to-Date	Week 14 Last Season	5 Year Weekly Median
138	2494	138	124

* Beginning in Week 35 of 2003, the number of P&I deaths became based on a new system of retrieval that now includes all contributing causes of death from death certificates.

**Graph 1. Influenza 2006-07 Season-To-Date as compared to the previous 4 influenza seasons
Through the Week Ending April 14, 2007 (Week 15)**



**Table 6. U.S. Influenza Sentinel Physicians Surveillance Network
Influenza-like Illness (ILI) for the Week Ending April 7, 2007 (Week 14)**

Age 0-4	Age 5-24	Age 25-64	Age 65+	Total ILI Patients Seen	Total Patients Seen	Percent ILI*
4	8	3	2	17	3307	0.51*

*This is below the national baseline of 2.1%

**Table 7. Respiratory Specimens Submitted to SPHL for Viral Testing
Through the Week Ending April 14, 2007 (Week 15)***

	Positive Influenza	Total Number Specimens Submitted
Week 15	5	0
Season-to-Date	75	139

*Number positives also represent past weeks specimens submitted.

Antigenic Characterization of Missouri Influenza Isolates submitted to CDC by the State Public Health Laboratory:

CDC antigenically characterizes a sample of positive Missouri influenza isolates, submitted through the Missouri Department of Health and Senior Services (DHSS), State Public Health Laboratory (SPHL). DHSS has submitted fifteen influenza isolates this season to CDC for antigenic characterization.

Results Received from CDC: CDC has antigenically characterized four of those isolates so far this season: two as influenza A/Hawaii/15/2001-like (H1N1) viruses and two as influenza A/New Caledonia/20/99-like (H1N1) viruses.

Isolates were characterized by hemagglutination-inhibition using post-infection ferret antisera and are related antigenically to A/Hawaii/15/2001, a minor antigenic variant of A/New Caledonia/20/99. A/New Caledonia/20/99 is the WHO recommended H1 component of the 2006-2007 vaccine for the Northern Hemisphere and 2007 vaccine for the Southern Hemisphere.

FDA's Vaccines and Related Biological Products Advisory Committee (VRBPAC) recommended that influenza vaccines to be used in the 2006-2007 season in the U.S. contain the following:

- An A/New Caledonia/20/99 (H1N1)-like virus;
- An A/Wisconsin/67/2005 (H3N2)-like virus (A/Wisconsin/67/2005 and A/Hiroshima/52/2005 strains); and
- A B/Malaysia/2506/2004-like virus (B/Malaysia/2506/2004 and B/Ohio/1/2005 strains)

The influenza vaccine composition used in the 2006-2007 season in the U.S. is identical to that recommended by the World Health Organization on February 15, 2006.

Clusters/Outbreaks of Influenza-like Illness: No school closings were reported for week 15; No school closings were reported for last season. Thirteen school closings due to Influenza-like illness have been reported season-to-date, as compared to four school closings reported during this same time last season. No outbreaks have been reported this season as compared to nine last season.

Data Sources: Laboratory-confirmed cases are reported to DHSS through the passive communicable disease surveillance system. Suspected influenza clusters and outbreaks are reported through the active surveillance system. Pneumonia and influenza deaths are reported through the DHSS Bureau of Vital Records. Influenza-like illness data by age category and total number of patient visits by week are reported voluntarily by participants in the U.S. Influenza Sentinel Physicians Surveillance Network.

Find Us on the Web

This report may also be found on the DHSS Internet at: www.dhss.state.mo.us/Influenza/index.html.

National influenza surveillance information is available from the Centers for Disease Control and Prevention at: www.cdc.gov/ncidod/diseases/flu/weekly.htm.

Contact Us

The Missouri Department of Health and Senior Services after hour's number for reporting disease cases and emergencies is **1-800-392-0272**.

¹ *All data in this report are provisional and may change as reports are updated.*

² *Influenza activity codes are reported to CDC each Monday.*